

Talking to your healthcare provider about moderately to severely active CROHN'S DISEASE

Your healthcare provider discussion guide

Review the below questions, and think about the symptoms you have been experiencing and what you want out of treatment. By having a better understanding of your experience with Crohn's disease, you can communicate with your healthcare provider more clearly and work together on a treatment plan that's right for you.

This guide is not a diagnostic tool. It is meant to help you have thorough and productive conversations with your healthcare team. Always consult your healthcare team before making any treatment decisions.

Print or download this guide, and fill out your answers. You can take it with you to your next appointment.

Understanding your Crohn's symptoms

1.	Н	How often do you experience uncontrolled symptoms?																					
	0	O Daily					○ Weekly								Monthly								
	Every few months				A few times a year																		
2.	W	hat u	ncon	trolle	ed sy	mpt	oms	do	ou t	ypic	cally	perience	? Ho	w ofte	en o	r sev	ere (are 1	they	?			
	Frequent bowel movements (stool frequence)										ncy) Suddenly needing						ng the	g the bathroom (bowel urgency)					
	Tin	Times per day										Times per day											
		1	2	3	4	5	6	7	8	9	10+			1	2	3	4	5	6	7	8	9	10+
(Co	ntin	ued on	next p	oage)																			
		ATION IS TOE	MEVA	® (solku		12																

SELECTED IMPORTANT SAFETY INFORMATION

TREMFYA® is not for everyone; only your healthcare provider can decide if it's right for you. Do not use if you are allergic to TREMFYA®. TREMFYA® is a prescription medicine that may cause serious side effects, including serious allergic reactions, infections, and liver problems. TREMFYA® affects your immune system. It may increase your risk of infections and lower your ability to fight them.

Please read the <u>Important Safety Information</u> on page 4 and the <u>Medication Guide</u> for TREMFYA® to learn more about these and other risks for TREMFYA®. Discuss any questions you have with your healthcare provider.

TREMFYA® (guselkumab) is a prescription medicine used to treat adults with moderately to severely active Crohn's disease.



•	What ur	What uncontrolled symptoms do you typically experience? How often or severe are they? (continued)																
	O Blood	in you	ır sto	ol						○ Diarrhea								
	Times per	day								Times per day								
	1	2	3	4	5	6	7	8	9	10+	1 2 3 4 5 6 7 8 9 1	0+						
	Consti	ipatio	n (sto	ools t	:hat o	are d	lifficu	lt to	pas	s)	Abdominal pain or cramping							
	Times per	dav									Mild Se	vere						
	1		3	4	5	6	7	8	9	10+		10						
	 Fatigue or low energy Changes in body weight within the last m 																	
			OW C1	icig	,													
	Times per day Gained weight: lbs																	
	1 2 3 4 5 6 7 8 9 10+ O Lost weight: lbs																	
3.	Have yo	ur sy	mpto	oms	beco	ome	more	e fre	que	ent or	severe since your last healthcare provider's visit?							
	Yes [Pl	ease	explo	ain]							No changes to my symptoms since my last visit	:						
		○ Yes [Please explain] ○ No changes to my symptoms since my last visit																
	-																	
4.	How are you currently managing your symptoms? 5. What treatments have you tried?																	
	now are you carrently managing your symptoms: 5. What treatments have you tried?																	
					• • •													
a.	How satisfied are you with your current treatment plan? 6b. Please explain your answer for question 6a.																	
	Very s		ed															
	Satisfi																	
	Neutro																	
	Unsati																	
		nsatis	stied															
	O Very u				How has Crohn's affected your daily life? Do you? (Select all that apply)													
		Crob	nn's c	affec	ted	your	dail	y life	e? D	o you	elect all that apply)							
•	How has								e? D	o you								
•		certa	in foc	ods/d					e? D	o you	Miss work/school							
•	How has Avoid Avoid	certa socia	in foc l ever	ods/o	chan	ge yo	our di		e? D	o you								
•	How has Avoid Avoid Avoid	certa socia activi	in foo I ever ities y	ods/o nts ou u	chan	ge yo	our di		e? D	o you	Miss work/school Feel anxious, embarrassed, or frustrated Other:	care						
7.	How has Avoid Avoid	certa socia activi	in foo I ever ities y	ods/o nts ou u	chan	ge yo	our di		e? D	o you	Miss work/school Feel anxious, embarrassed, or frustrated							
	How has Avoid Avoid Avoid	certa socia activi physic	in foc l ever ities y cal in	ods/o nts ou u tima	sed t	ge yo	our di	iet			Miss work/school Feel anxious, embarrassed, or frustrated Other:	are						

INDICATION

WHAT IS TREMFYA® (guselkumab)?

TREMFYA® (guselkumab) is a prescription medicine used to treat adults with moderately to severely active Crohn's disease.

SELECTED IMPORTANT SAFETY INFORMATION

TREMFYA® is not for everyone; only your healthcare provider can decide if it's right for you. Do not use if you are allergic to TREMFYA®. TREMFYA® is a prescription medicine that may cause serious side effects, including serious allergic reactions, infections, and liver problems. TREMFYA® affects your immune system. It may increase your risk of infections and lower your ability to fight them.

Please read the <u>Important Safety Information</u> on page 4 and the <u>Medication Guide</u> for TREMFYA® to learn more about these and other risks for TREMFYA®. Discuss any questions you have with your healthcare provider.



8.	How often do you hide	e your symptoms from other peop	ole?		(gascikarriab)				
	Often	○ Sometimes		O Not at all					
9.	Is there someone in ye	our life you can talk to openly ab	out y	our Crohn's and yo	ur symptoms?				
	○ Yes	○ No							
Uı	nderstanding you	ur Crohn's treatment go	als						
1.	What are your treatme	ent goals? (Select all that apply)	2.	When deciding on a treatment, what is important					
	Reduce my Crohn's sy	ymptoms		to you? (Select al	I that apply)				
	Maintain long-term s	ymptom control		☐ How the treatment works ☐ How I receive the treatment (pill, injection, or infusio					
	Get symptom relief q	uickly							
	Help reduce inflamme	ation in the intestinal lining		How often I take	the treatment				
	Have my symptoms u	nder control to get back to doing		How I can work w	vith my healthcare provider to determine ht for me				
	Other:			The safety profile	e of the treatment				
				How fast the treatment starts to work					
				How long the effects of treatment last					
	-			Other:					
3.	How would you like to	receive your medication?							
	 Intravenous infusion (t the arm) by a healthcome 	_		tion (under the skin) ovider's office	 Subcutaneous injection (under the skin) at home (after proper training and physician approval) 				
Q	uestions for your	healthcare provider ab	out	TREMFYA®					
Ta	ke these questions to yo	our next appointment, and discuss	with	your healthcare pr	ovider if TREMFYA® is right for you.				
1.	How does TREMFYA® wo		3.		ole side effects of TREMFYA®?				
2.	Could TREMFYA® help wi	th my symptoms?	4.	How would I take TF	REMFYA®? And how often?				
N	otes								

Finding the right solution for your moderately to severely active Crohn's disease takes courage and conversation. By having honest discussions about your Crohn's symptoms and how your life has changed because of Crohn's, your healthcare team can have a better chance to address your unique needs. Your voice matters, so don't hesitate to ask any questions or share concerns.

Talk to your healthcare provider to see if TREMFYA® is right for you.

INDICATION

WHAT IS TREMFYA® (guselkumab)?

TREMFYA® (guselkumab) is a prescription medicine used to treat adults with moderately to severely active Crohn's disease.

SELECTED IMPORTANT SAFETY INFORMATION

TREMFYA® is not for everyone; only your healthcare provider can decide if it's right for you. Do not use if you are allergic to TREMFYA®. TREMFYA® is a prescription medicine that may cause serious side effects, including serious allergic reactions, infections, and liver problems. TREMFYA® affects your immune system. It may increase your risk of infections and lower your ability to fight them.

Please read the <u>Important Safety Information</u> on page 4 and the <u>Medication Guide</u> for TREMFYA® to learn more about these and other risks for TREMFYA®. Discuss any questions you have with your healthcare provider.



IMPORTANT SAFETY INFORMATION

What is the most important information I should know about TREMFYA®?

TREMFYA® is a prescription medicine that may cause serious side effects, including:

- Serious Allergic Reactions. Stop using TREMFYA® and get emergency medical help right away if you develop any of the following symptoms of a serious allergic reaction:
 - fainting, dizziness, feeling lightheaded (low blood pressure)
 - swelling of your face, eyelids, lips, mouth, tongue or throat
- trouble breathing or throat tightness
- chest tightness
- skin rash, hives
- · itching
- Infections. TREMFYA® may lower the ability of your immune system to fight infections and may increase your risk of infections. Your healthcare provider should check you for infections and tuberculosis (TB) before starting treatment with TREMFYA® and may treat you for TB before you begin treatment with TREMFYA® if you have a history of TB or have active TB. Your healthcare provider should watch you closely for signs and symptoms of TB during and after treatment with TREMFYA®.

Tell your healthcare provider right away if you have an infection or have symptoms of an infection, including:

- fever, sweats, or chills
- muscle aches
- weight loss
- cough
- warm, red, or painful skin or sores on your body different from your psoriasis
- diarrhea or stomach pain
- shortness of breath
- blood in your phlegm (mucus)
- burning when you urinate or urinating more often than normal
- Liver Problems. With the treatment of Crohn's disease or ulcerative colitis, your healthcare provider will do blood tests to check your liver before and during treatment with TREMFYA®. Your healthcare provider may stop treatment with TREMFYA® if you develop liver problems. Tell your healthcare provider right away if you notice any of the following symptoms:
 - unexplained rash
 - vomiting
 - tiredness (fatigue)
 - yellowing of the skin or the whites of your eyes
- nausea
- stomach pain (abdominal)
- loss of appetite
- dark urine

Do not use TREMFYA® if you have had a serious allergic reaction to guselkumab or any of the ingredients in TREMFYA®.

Before using TREMFYA®, tell your healthcare provider about all of your medical conditions, including if you:

 have any of the conditions or symptoms listed in the section "What is the most important information I should know about TREMFYA®?"

- have an infection that does not go away or that keeps coming back.
- have TB or have been in close contact with someone with TB.
- have recently received or are scheduled to receive an immunization (vaccine). You should avoid receiving live vaccines during treatment with TREMFYA®.
- are pregnant or plan to become pregnant. It is not known if TREMFYA® can harm your unborn baby. **Pregnancy Registry**: If you become pregnant during treatment with TREMFYA®, talk to your healthcare provider about registering in the pregnancy exposure registry for TREMFYA®. You can enroll by visiting www.mothertobaby.org/ongoing-study/tremfya-guselkumab, by calling 1-877-311-8972, or emailing MotherToBaby.org/ongoing-study/tremfya-guselkumab, by calling the study of the
- are breastfeeding or plan to breastfeed. It is not known if TREMFYA® passes into your breast milk.

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

What are the possible side effects of TREMFYA®?

TREMFYA® may cause serious side effects. See "What is the most important information I should know about TREMFYA®?"

The most common side effects of TREMFYA® include:

respiratory tract infections, headache, injection site reactions, joint pain (arthralgia), diarrhea, stomach flu (gastroenteritis), fungal skin infections, herpes simplex infections, stomach pain, and bronchitis.

These are not all the possible side effects of TREMFYA®. Call your doctor for medical advice about side effects.

Use TREMFYA $^{\!\scriptscriptstyle{(8)}}$ exactly as your healthcare provider tells you to use it.

Please read the full <u>Prescribing Information</u>, including <u>Medication Guide</u>, for TREMFYA® and discuss any questions that you have with your doctor.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.

Dosage Forms and Strengths: TREMFYA® is available as 100 mg/mL and 200 mg/2 mL for subcutaneous injection and as a 200 mg/20 mL (10 mg/mL) single dose vial for intravenous infusion.

cp-510994v1