



Imagine being a
MILLION
MILES *away*



TREMFYA® is a prescription medicine used to treat adults and children 6 years and older who also weigh at least 88 pounds (40 kg) with active psoriatic arthritis.

SELECTED IMPORTANT SAFETY INFORMATION

TREMFYA® is not for everyone; only your healthcare provider can decide if it's right for you. Do not use if you are allergic to TREMFYA®. TREMFYA® is a prescription medicine that may cause serious side effects, including serious allergic reactions, infections, and liver problems. TREMFYA® affects your immune system. It may increase your risk of infections and lower your ability to fight them. Please read the [Important Safety Information](#) on page 7 and the [Medication Guide](#) for TREMFYA® to learn more about these and other risks for TREMFYA®. Discuss any questions you have with your healthcare provider.

RESULTS AT 24 WEEKS



Reduced joint pain, stiffness, and swelling



Individual results may vary.

More than half of study participants had **at least a 20% improvement** in joint symptoms*

*In two medical studies, more than 5 out of 10 patients treated with TREMFYA® had at least a 20% improvement in active PsA symptoms (joint pain, stiffness, swelling) at 24 weeks compared to placebo.

Reduced fatigue for some patients

Treatment with TREMFYA® resulted in **improvement in PsA-related fatigue**. Patients' level of fatigue was assessed using a questionnaire to measure self-reported tiredness, weakness, and difficulty conducting usual activities due to fatigue. Patients were asked to indicate their level of fatigue in the seven days prior.

Individual results may vary.

SELECTED IMPORTANT SAFETY INFORMATION

TREMFYA® is not for everyone; only your healthcare provider can decide if it's right for you. Do not use if you are allergic to TREMFYA®. TREMFYA® is a prescription medicine that may cause serious side effects, including serious allergic reactions, infections, and liver problems. TREMFYA® affects your immune system. It may increase your risk of infections and lower your ability to fight them. Please read the [Important Safety Information](#) on page 7 and the [Medication Guide](#) for TREMFYA® to learn more about these and other risks for TREMFYA®. Discuss any questions you have with your healthcare provider.



The ability to do more of what you used to do

TREMFYA® can help **reduce the joint pain, stiffness, and swelling** that make everyday tasks harder to do. Patients' ability to perform everyday activities was assessed in a questionnaire. People taking TREMFYA® showed an overall **improvement in their ability to perform daily activities** such as:



Dressing & Grooming



Getting Up



Eating



Walking



Washing Up



Reaching



Gripping



Daily Activities

Less joint pain, stiffness, and swelling is possible, even at 2 years



For patients who continued on TREMFYA® for 2 years, a similar percentage (7 out of 10 patients) saw a 20% improvement in PsA symptoms at 2 years*

*At 24 weeks and thereafter, patients and healthcare providers knew that TREMFYA® was being used. This may have increased results. Results may vary.

More than joint relief—clearer skin, too

Psoriatic arthritis patients treated with TREMFYA® saw an improvement in psoriasis skin plaques.

Individual results may vary.

SELECTED IMPORTANT SAFETY INFORMATION

TREMFYA® is not for everyone; only your healthcare provider can decide if it's right for you. Do not use if you are allergic to TREMFYA®. TREMFYA® is a prescription medicine that may cause serious side effects, including serious allergic reactions, infections, and liver problems. TREMFYA® affects your immune system. It may increase your risk of infections and lower your ability to fight them. Please read the [Important Safety Information](#) on page 7 and the [Medication Guide](#) for TREMFYA® to learn more about these and other risks for TREMFYA®. Discuss any questions you have with your healthcare provider.

Individual results may vary.

DOSING

6 doses per year after 2 starter doses*

Day 1

1 Injection on Day 1

Week 4

1 Injection 4 Weeks Later

Week 12
& beyond

1 Injection Every 8 Weeks

You can take TREMFYA® by using either the One-Press patient-controlled self-injector or a prefilled syringe.

*TREMFYA® is a single-dose 100 mg injection taken under the skin at weeks 0 and 4, and then every 8 weeks.

If your healthcare provider decides that you or a caregiver may be able to give your injections of TREMFYA® at home, you should receive training on the right way to prepare and inject TREMFYA®. Do not try to inject yourself until you have been trained by your healthcare provider.

For children, TREMFYA® should be administered by a healthcare provider or an adult caregiver who has been shown the right way to give the injections by a healthcare provider.

SELECTED IMPORTANT SAFETY INFORMATION

TREMFYA® is not for everyone; only your healthcare provider can decide if it's right for you. Do not use if you are allergic to TREMFYA®. TREMFYA® is a prescription medicine that may cause serious side effects, including serious allergic reactions, infections, and liver problems. TREMFYA® affects your immune system. It may increase your risk of infections and lower your ability to fight them. Please read the [Important Safety Information](#) on page 7 and the [Medication Guide for TREMFYA®](#) to learn more about these and other risks for TREMFYA®. Discuss any questions you have with your healthcare provider.

 **Tremfya**[®]
(guselkumab)



Not actual size




A device designed with you in mind

The One-Press patient-controlled injector features an easy-to-hold design and a hidden needle.

Please read the [Instructions for Use](#) before using TREMFYA®, and each time you get a refill. There may be new information. These instructions do not take the place of talking with your healthcare provider about your medical condition or your treatment.

Discover the One-Press patient-controlled injector



Not actual size

Your first self-injection should be performed at your doctor's office so your doctor can show you the right way to give yourself the injections. After this training, and with your healthcare provider's approval, you may be able to inject at home.

SELECTED IMPORTANT SAFETY INFORMATION

TREMFYA® is not for everyone; only your healthcare provider can decide if it's right for you. Do not use if you are allergic to TREMFYA®. TREMFYA® is a prescription medicine that may cause serious side effects, including serious allergic reactions, infections, and liver problems. TREMFYA® affects your immune system. It may increase your risk of infections and lower your ability to fight them. Please read the [Important Safety Information](#) on page 7 and the [Medication Guide](#) for TREMFYA® to learn more about these and other risks for TREMFYA®. Discuss any questions you have with your healthcare provider.

Take a virtual tour of the One-Press

Scan the code with your smartphone to begin.



- 1 Point your smartphone camera at the marker to get started
- 2 Use your fingers to rotate and zoom in on the One-Press
- 3 Tap "See It Live" and experience the One-Press in 3D

The Arthritis Foundation seal of approval



The One-Press patient-controlled injector was awarded the Arthritis Foundation's Ease of Use seal after being tested by patients with psoriatic arthritis.

ONCE YOU AND YOUR DOCTOR HAVE DECIDED THAT TREMFYA[®] IS RIGHT FOR YOU

Tremfya *withMe*

A SUPPORT PROGRAM BUILT AROUND YOU

Dedicated support throughout your TREMFYA[®] treatment journey

We're committed to making sure you have what you want, **when you want it**. Your treatment journey is about more than appointments and injections. **It's about you feeling supported.**



TREMFYA withMe Nurse Guide*

Meet your dedicated TREMFYA withMe Nurse Guide—a registered nurse—who will help you throughout your treatment journey with the support and information you may need.

*Nurse Guides do not provide medical advice. Please consult your doctor for any questions you have about your disease or therapy.



Prescription and Cost Support

You'll receive support to help you verify your insurance coverage, understand how to fill your prescriptions, and look for options that could make your treatment more affordable.



Treatment Support

You'll get access to information about your disease, injection support, and how to safely return used devices. Your doctor is the best person to help you understand what to expect. Your Nurse Guide is also available, after you have talked with your doctor, if you have questions about injections.

Learn more about TREMFYA withMe, a support program built around you

Visit tremfya.com for more information.



Scan this QR code with your phone's camera

If you haven't signed up yet, **SCAN OR CALL:**

1-833-WITHME1 (948-4631)
Monday through Friday from
8:00 AM to 11:00 PM ET

Data rates may apply.



Safe Returns[®]

If you've received approval to inject at home and have been properly trained, you can use Safe Returns[®] as a simple, safe, and convenient way to dispose of your used devices at no cost to you. After you sign up for TREMFYA withMe, you'll receive a certified Safe Returns[®] sustainable mail-back envelope in the mail, along with easy-to-follow mail-back instructions.

The support and resources provided by TREMFYA withMe are not intended to provide medical advice, replace a treatment plan you receive from your doctor or nurse, or serve as a reason for you to start or stay on treatment.

INDICATIONS

WHAT IS TREMFYA® (guselkumab)?

TREMFYA® is a prescription medicine used to treat adults and children 6 years and older who also weigh at least 88 pounds (40 kg) with moderate to severe plaque psoriasis who may benefit from taking injections or pills (systemic therapy) or phototherapy (treatment using ultraviolet or UV light).

TREMFYA® is a prescription medicine used to treat adults and children 6 years and older who also weigh at least 88 pounds (40 kg) with active psoriatic arthritis.

IMPORTANT SAFETY INFORMATION

What is the most important information I should know about TREMFYA®?

TREMFYA® is a prescription medicine that may cause serious side effects, including:

- **Serious Allergic Reactions.** Stop using TREMFYA® and get emergency medical help right away if you develop any of the following symptoms of a serious allergic reaction:
 - fainting, dizziness, feeling lightheaded (low blood pressure)
 - swelling of your face, eyelids, lips, mouth, tongue or throat
 - trouble breathing or throat tightness
 - chest tightness
 - skin rash, hives
 - itching
- **Infections.** TREMFYA® may lower the ability of your immune system to fight infections and may increase your risk of infections. Your healthcare provider should check you for infections and tuberculosis (TB) before starting treatment with TREMFYA® and may treat you for TB before you begin treatment with TREMFYA® if you have a history of TB or have active TB. Your healthcare provider should watch you closely for signs and symptoms of TB during and after treatment with TREMFYA®.

Tell your healthcare provider right away if you have an infection or have symptoms of an infection, including:

- fever, sweats, or chills
- muscle aches
- weight loss
- cough
- warm, red, or painful skin or sores on your body different from your psoriasis
- diarrhea or stomach pain
- shortness of breath
- blood in your phlegm (mucus)
- burning when you urinate or urinating more often than normal

- **Liver Problems.** With the treatment of plaque psoriasis or psoriatic arthritis, your healthcare provider may do blood tests to check your liver before and as necessary during treatment with TREMFYA®. Your healthcare provider may stop treatment with TREMFYA® if you develop liver problems. Tell your healthcare provider right away if you notice any of the following symptoms:

- unexplained rash
- vomiting
- tiredness (fatigue)
- yellowing of the skin or the whites of your eyes
- nausea
- stomach pain (abdominal)
- loss of appetite
- dark urine

Do not use TREMFYA® if you have had a serious allergic reaction to guselkumab or any of the ingredients in TREMFYA®.

Before using TREMFYA®, tell your healthcare provider about all of your medical conditions, including if you:

- have any of the conditions or symptoms listed in the section **“What is the most important information I should know about TREMFYA®?”**
- have an infection that does not go away or that keeps coming back.
- have TB or have been in close contact with someone with TB.
- have recently received or are scheduled to receive an immunization (vaccine). You should avoid receiving live vaccines during treatment with TREMFYA®. Children should be brought up to date with all vaccines before starting TREMFYA®.
- are pregnant or plan to become pregnant. It is not known if TREMFYA® can harm your unborn baby.
Pregnancy Registry: If you become pregnant during treatment with TREMFYA®, talk to your healthcare provider about registering in the pregnancy exposure registry for TREMFYA®. You can enroll by visiting www.mothersbaby.org/ongoing-study/tremfya-guselkumab, by calling 1-877-311-8972, or emailing MotherToBaby@health.ucsd.edu. The purpose of this registry is to collect information about the safety of TREMFYA® during pregnancy.
- are breastfeeding or plan to breastfeed. It is not known if TREMFYA® passes into your breast milk.

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

What are the possible side effects of TREMFYA®?

TREMFYA® may cause serious side effects. See “What is the most important information I should know about TREMFYA®?”

The most common side effects of TREMFYA® include: respiratory tract infections, headache, injection site reactions, joint pain (arthralgia), diarrhea, stomach flu (gastroenteritis), fungal skin infections, herpes simplex infections, stomach pain, bronchitis, feeling very tired (fatigue), fever (pyrexia), and skin rash (rash).

These are not all the possible side effects of TREMFYA®. Call your doctor for medical advice about side effects.

Use TREMFYA® exactly as your healthcare provider tells you to use it.

Please read the full Prescribing Information, including Medication Guide, for TREMFYA® and discuss any questions that you have with your doctor.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.

TREMFYA® is available as a 100 mg/mL subcutaneous injection.
 cp-510976v3

Learn more about TREMFYA®

For adults with active psoriatic arthritis

Click to see the [Prescribing Information](#),
[Medication Guide](#), and [Instructions for Use](#).

SELECTED IMPORTANT SAFETY INFORMATION

TREMFYA® is not for everyone; only your healthcare provider can decide if it's right for you. Do not use if you are allergic to TREMFYA®. TREMFYA® is a prescription medicine that may cause serious side effects, including serious allergic reactions, infections, and liver problems. TREMFYA® affects your immune system. It may increase your risk of infections and lower your ability to fight them. Please read the [Important Safety Information](#) on page 7 and the [Medication Guide](#) for TREMFYA® to learn more about these and other risks for TREMFYA®. Discuss any questions you have with your healthcare provider.

Real patients. Real stories.

Hear stories from real patients living with active psoriatic arthritis and the steps they took toward less joint pain, stiffness, and swelling. Individual results may vary.

Scan to hear Humberto and Suzana's stories and more.



Data rates
may apply.



*"Going upstairs,
downstairs. It was
painful on my knees."*

- Humberto
TREMfYA® patient

*"I was just struggling
to make dinner
because of my
joint symptoms."*

- Suzana
TREMfYA® patient



SELECTED IMPORTANT SAFETY INFORMATION

TREMfYA® is not for everyone; only your healthcare provider can decide if it's right for you. Do not use if you are allergic to TREMfYA®. TREMfYA® is a prescription medicine that may cause serious side effects, including serious allergic reactions, infections, and liver problems. TREMfYA® affects your immune system. It may increase your risk of infections and lower your ability to fight them. Please read the [Important Safety Information](#) on page 7 and the [Medication Guide](#) for TREMfYA® to learn more about these and other risks for TREMfYA®. Discuss any questions you have with your healthcare provider.